INTERNATIONAL GEMOLOGICAL INSTITUTE

ELECTRONIC COPY

LABORATORY GROWN DIAMOND IDENTIFICATION REPORT

NUMBER	LG400913917	December 10, 2019
DESCRIPTION	LABORATORY GROWN DIAMOND	
SHAPE AND CUT	ROUND BRILLIANT	
CARAT WEIGHT	**1.51 CARAT**	
COLOR GRADE	**K**	
CLARITY GRADE	**VVS 2**	
CUT GRADE	**EXCELLENT**	
POLISH	**EXCELLENT**	
SYMMETRY	**VERY GOOD**	
Measurements	7.35 - 7.43 x 4.50 mm	
Table Size	57%	
Crown Height - Angle	16% - 36.2°	
Pavilion Depth - Angle	42% - 40.3°	
Girdle Thickness	MEDIUM (FACETED)	
Culet	POINTED	
Total Depth	60.8%	
FLUORESCENCE	NONE	
COMMENTS	This Laboratory grown diamond was created by chemical vapor deposition process (CVD) Type IIa	
LASERSCRIBE	LABGROWN IGI LG400913917	

CLARITY SCALE

FLAWLESS/ INTERNALLY FLAWLESS	VERY VERY SLIGHTLY INCLUDED		VERY SLIGHTLY INCLUDED		SLIGHTLY INCLUDED		INCLUDED		
	VVS_1	VVS_2	VS_1	VS_2	SI_1	SI_2	I_1	I_2	I_3

COLOR SCALE

COLORLESS			NEAR COLORLESS				SLIGHTLY TINTED			VERY LIGHT					LIGHT							FANCY COLOR
D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spetroscopy. UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.

See terms and conditions on reverse

© IGI 2000 edition 2016

All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute